



KONICA MINOLTA

bizhub 20

✓ Black & white A4 multifunctional

✓ Up to 30 pages per minute

Functionality



– Black & white

Copying



– Black & white
– PCL/PS
– Local/network
– USB

Printing



– Colour
– TWAIN Network
– Scan-to-SMB
– Scan-to-eMail
– Scan-to-FTP
– Scan-to-USB

Scanning



– PC-Fax
– Super G3 Fax

Faxing





1^{er} site Français spécialiste **en photocopieur** et **solution bureautique**
Location - Achat - Leasing - Entretien - Maintenance

 COUVERTURE NATIONALE  RÉSERVÉ AUX PROS  SERVICE 100% GRATUIT  SIMPLE ET RAPIDE



Ce modèle de photocopieur vous intéresse ?
Vous souhaitez obtenir plus d'information ?

Entrez en relation avec un distributeur
agréé dans votre département



RÉALISEZ UNE DEMANDE DE DEVIS
Gratuit et sans engagement

Option diagram



Finishing options



Duplex



Descriptions

bizhub 20	A4 b/w device with print, copy, colour scan and fax capabilities. Equipped with standard network interface, PCL/PostScript support, automatic duplex and automatic document feeder. Copy and print speed of up to 30 pages per minute. Standard paper capacity 250-sheet tray plus 50-sheet bypass tray. Media sizes from A6 to A4.
------------------	---

PF-P10 Paper tray	250 sheets, A5-A4, 60-150 gsm
256 MB Extended memory	256 MB memory extension for faster processing
512 MB Extended memory	512 MB memory extension for faster processing
SX-600 Wireless LAN	Wireless LAN to network connector
EH-C591 Convenience stapler	Convenient stapling of up to 50 prints per set

Technical specifications

COPIER SPECIFICATIONS

Copying process	Electrophotographic laser
Copy speed A4	Up to 30 ppm
1st copy time	10.5 seconds
Warm-up time	Approx. 18 seconds
Copy resolution	Max.: 1,200 x 600 dpi
Gradation	256 gradations
Multi-copy	1–99
Original format	Max. A4
Magnification	25–400% in 1% steps
Copy functions	Duplex copy; 2in1; 4in1

PRINTER SPECIFICATIONS

Print speed A4	Up to 30 ppm
Print resolution	Max.: 1,200 x 1,200 dpi
1st print time	8.5 seconds or less
Controller CPU	300 MHz
Page description languages	PostScript 3 PCL6
Operating systems	Windows 2000 Windows XP (32/64) Windows Vista (32/64) Windows Server 2003 (32/64) Windows Server 2008 (32/64) Windows 7 (32/64) Macintosh OSX 10.x
Printer fonts	66 PCL scalable fonts; 12 PCL Bitmap fonts; 66 PostScript compatible fonts
Print functions	Watermark; n-up; poster; booklet page order; USB direct print

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 20/8 opm
Scan resolution	Max.: 2,400 x 600 dpi
Scan modes	Network TWAIN scan WIA scan Scan-to-eMail Scan-to-USB Scan-to-FTP Scan-to-SMB
USB direct interface	Scan-to-USB File formats: PDF (vs 1.7); XPS; JPEG; TIFF

FAX SPECIFICATIONS

Fax standard	Super G3
Fax transmission	Analogue; PC-Fax
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Speed dial	Up to 300 speed locations
Group dial	Up to 40 groups

SYSTEM SPECIFICATIONS

System memory	Standard: 64 MB Max.: 576 MB
Interface	10-Base-T/100-Base-TX Ethernet; USB 2.0; parallel IEEE1284
Network protocols	TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP/HTTPS
Automatic document feeder	Up to 50 originals; 64–90 gsm
Printable paper size	A6–A4; customised paper sizes
Printable paper weight	60–163 gsm
Paper input capacity	Standard: 300 sheets Max.: 550 sheets
Tray 1	250 sheets; A6–A4; 60–105 gsm
Tray 2 (optional)	250 sheet; A5–A4; 60–105 gsm
Manual bypass	50 sheets; A6–A4; 60–163 gsm; custom (69.8–216 x 116–406.4 mm)
Automatic duplexing	A4; 60–105 gsm
Output capacity	150 sheets (face-down) 1 sheet (face-up)
Copy/print volume (monthly)	Average 1,200 pages
Toner lifetime	Yield up to 8,000 pages (ISO19752 compliant)
Drum lifetime	Up to 25,000 pages
Power consumption	Max. 930 W Printing 675 W Stand-by 85 W Sleep mode 18 W
System dimensions (W x D x H, mm)	531 x 451 x 475
System weight	17.3 kg (without consumables) 18.6 kg (with consumables)

SYSTEM FEATURES

Security	Secure function lock (copy; print; scan; fax and/or USB direct print restriction); secure print; IP filtering (IPv4); NTLmV3 authentication (MD5) for MIB; SSL protocol; SNMPv3
Software	PageScope NetCare Device Manager

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

