

SCX-4828FN

SAMSUNG

Mono Laser Multifunction Printer



Features:

- Print, copy, scan, fax, PC fax
- Print speeds up to 30 ppm/cpm
- Built-in duplex and network-ready
- Small footprint of just 17.5" x 16.1"
- 50,000 pages monthly duty cycle
- Scan and print directly to and from USB flash drive



SCX-4828FN

imagine adding another hard worker to your office, without adding any space. Now imagine the Samsung SCX-4828FN multifunction printer. This versatile print, copy, scan and fax machine features a compact footprint and low noise level. It unobtrusively processes up to 50,000 pages a month, at speeds up to 30 ppm. The 250-sheet cassette with optional additional 250-sheet cassette means fewer job interruptions to load paper. And a front USB port lets you print files from and scan directly to a USB flash drive. With the Samsung SCX-4828FN multifunction printer, it's not hard to imagine.



1^{er} site Français spécialiste **en photocopieur** et **solution bureautique**
Location - Achat - Leasing - Entretien - Maintenance

 COUVERTURE NATIONALE  RÉSERVÉ AUX PROS  SERVICE 100% GRATUIT  SIMPLE ET RAPIDE



Ce modèle de photocopieur vous intéresse ?
Vous souhaitez obtenir plus d'information ?

Entrez en relation avec un distributeur
agréé dans votre département



RÉALISEZ UNE DEMANDE DE DEVIS
Gratuit et sans engagement

SCX-4828FN



Mono Laser Multifunction Printer

Features

Small, Compact Footprint

With a footprint of just 17.5" x 16", the SCX-4828FN will fit easily in your office.

USB Direct Printing and Scanning

A front USB port lets you quickly scan and print files directly to and from your USB flash drive.

Expands As You Do

You can add an optional 250-sheet cassette, for a total capacity of 500 sheets. And the 128MB memory is expandable to 384MB.

Versatile Features

The more versatile your MFP, the more versatile you are. ID Card copy lets you copy two sides, then print both sides out on one sheet of paper. Clone copies your image and prints it several times on a single sheet. And Poster copy prints your image on several sheets that forms one big poster.

Exceptional Value

An affordable price, efficient toner usage, competitively priced consumables and paper-saving duplexing capabilities makes the SCX-4828FN an exceptional value.

Dimensions



Specifications

SCX-4828FN

Overview

Function	Print, Scan, Copy, Fax
----------	------------------------

Print

Speed (Mono)	Up to 30 ppm
First Print Out Time	8.5 seconds (From Ready mode)
Resolution	Up to 1200 x 1200 dpi effective output
Emulation	PCL5e, PCL6, PostScript 3
Duplex	Built-in

Copy

Speed	Up to 30 cpm in Letter
Resolution	Up to 1,200 x 1,200 dpi effective output
First Copy Out Time (Mono)	10 seconds (From Ready mode)
Zoom Rate	25~400% (platen), 25~100% (ADF)
Multi Copy/Duplex Copy	1~99 pages
Copy Features	ID Copy, 2-up, 4-up, Poster Copy, Clone Copy, Collation Copy, Auto-fit

Scan

Compatibility	TWAIN Standard, WIA Standard (Windows XP only)
Method	Color CIS
Resolution (Optical)	Up to 1,200 x 1,200 dpi (Platen)
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan To	PC, Email, USB Flash Drive

Fax

Compatibility/ Modem Speed	ITU-T G3, ECM/33.6 Kbps
Resolution	Standard: 203 x 98 dpi, Fine/Photo: 203 x 196 dpi, Super Fine: 300 x 300 dpi, Color: Up to 200 x 200 dpi
Memory	3.2 MB (Approx. 260 pages at ITU-T #1 Chart)
Auto Dial	Speed dial: 200 Locations
Fax Features	Junk Fax barrier, Fax Forward to Fax/E-mail, Broadcasting up to 209 locations

Paper Handling

Input Capacity and Types	250-sheet Cassette Tray, 1-sheet Manual Tray
Output Capacity and Types	150-sheet Face Down
Media Size	2.6" x 5" ~ 8.5" x 14"
Media Type	Plain, Thin, Recycled, OHP, Label, Card, Thick, Bond
ADF Capacity	50-sheet
ADF Document Size	Width: 5.6" ~ 8.5", Length: 5.8" ~ 14"

General

LCD	2 line x 16 characters
Memory/Storage	128 MB (Max. 384 MB)
OS Compatibility	Windows 2000/2003 Server/XP/Vista Various Linux OS, Mac OS X 10.3~10.5
Interface	Hi-Speed USB 2.0, Ethernet 10/100 BaseTX
Noise Level	Less than 50 dBA (Printing), Less than 53 dBA (Copying), Less than 26 dBA (Standby)
Duty Cycle, Monthly	50,000 pages
Dimension (W x D x H)	17.5" x 16.2" x 15.6"
Weight (with CRU)	32 lbs.

Consumables

Yield	Standard: Average Cartridge Yield 2,000 standard pages High Yield: Average Cartridge Yield 5,000 standard pages (Ships with 2,000 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752
Type	Single Cartridge
Model Codes	MLT-D209S, MLT-D209L
Options	250-sheet Cassette Tray Memory : 128 MB, 256MB

